

SUBJECT INDEX

A

- Absciscic acid
 - nematode damage, 183
- Acinetobacter lwoffii*
 - greening component, 119
- Acyltransferase, 251
- Aflatoxin
 - see *Aspergillus*
- ARFC wheat model, 369-72
- African cassava mosaic virus
 - host resistance, 41
- African maize streak virus
 - host resistance, 41
- Aggressiveness
 - citrus canker, 409-12, 416
 - definition, 174
 - see also Virulence
- Agricultural experiment stations,
 - 3, 9-10
- Agricultural extension, 6-7
- Agrobacterium tumefaciens*
 - host specificity, 271
 - virulence, 268-70
- Aldicarb, 170, 482
- Alleles
 - forest tree breeding
 - loss, 333, 335-36
 - virulence, 331
- Alternaria*, 403
- American Phytopathological Society, 11-12, 32, 425
- American Type Culture Collection, 416
- Amidinotransferase, 264
- Amino acid concentrations
 - citrus greening, 111-12
- L-Amino acids
 - coronafacic acid, 252
 - D-form, 251
- 1-Aminocyclopropane-1-carboxylic acid, 253
- 2-Amino pyrimidines, 432-33
- Ammonia soil amendment, 481
- Amylase activity, 112
- Animal and Plant Health Inspection Service, 220, 236-37, 242
- Annual Review of Phytopathology
 - quarantine coverage, 234
- Anthroboirys*
 - nematode biocontrol, 151
- Antibiotics
 - citrus greening, 117-18, 121-22
- Tilletia*, 141
 - see also *Pseudomonas syringae* toxin genetics
- Anticoma*, 18
- Antiresistance measures
 - see Fungicide resistance
- Aphelenchus avenae*, 158
- Aphidencyrus cassatus*
 - greening biocontrol, 123
- Apical dominance
 - funeral foraging systems, 310
- Apple disease expert systems
 - Apple Pest and Disease Diagnosis, 356
 - Apple scab, 343, 347, 355
 - POMME, 353, 355
 - see also Penn State Apple Orchard Consultant
- Arabinose, 292
- Arbutin, 269-70
- Arginine
 - phaseolotoxin induced chlorosis, 255
- Armillaria*
 - biocontrol, 310
 - genetic territories, 309
- Artificial Intelligence
 - see Expert systems in plant pathology
- Aschochyta lentis*
 - distribution, 44
- Asiatic citrus canker
 - see Citrus canker in Florida
- L-aspartate, 254
- Aspergillus*
 - flavus*
 - peanut, 280
 - peanut resistance, 283, 292
 - nidulans*
 - DNA, 447, 449
 - trpC* gene, 449
 - parasiticus*
 - peanut, 280, 292
- ATPase, 252
- Australia
 - N. A. Cobb, 17-18
- Auxin
 - effect coronatine, 253
- Auxotrophy, 256
- Avirulence, 80, 142
 - genes
 - hypersensitive reaction, 202
 - M. grisea*, 446, 459-60, 463
 - nematode, 175-78, 186

B

- Bacillus*
 - antibiotics, 249
- Backcrossing
 - M. grisea*, 446, 459
 - see also Genetic diversity for resistance in forest trees
- Bacterial antagonists
 - see Nematode natural enemies
- Bacterial phytotoxins
 - see *Pseudomonas syringae* toxin genetics
- Bacterial spot of citrus
 - see Citrus canker in Florida
- Bacterial wilt caused by *Pseudomonas solanacearum*, 65-87
 - conclusion, 80-81
 - control strategies, 76-80
 - avoidance, 79
 - biocontrol, 79-80
 - cropping systems, 78
 - host-plant resistance, 77-78
 - integrated control, 79
 - soil amendment, 78
 - dispersal and inoculum, 69-72
 - epiphytic survival, 71
 - planting material movement, 69-71
 - weed hosts and sheltered sites, 71-72
 - environmental interactions, 72-76
 - nematode populations, 76
 - soil moisture, 74-75
 - soil type, 75-76
 - temperature and light, 72-74
 - host range, 68-69
 - introduction, 65-66
 - properties, relationships, distribution, 66-68
 - phylogeny, 66-67
 - secondary metabolites, 67
 - subspecific classification, 67-68
- Bacterial wilt of cassava, 69
- Bacterial wilt of Townsville Stylo, 70
- Bacteriosis
 - see Citrus canker in Florida
- Baker, Kenneth F., 31
- Barley smut
 - genetics, 138-139

- Barley stripe mosaic virus, 213
 Barley yellow dwarf virus, 41
 Basidiomycetes
 see Delignification by wood-decay fungi; Mycelial individualism
 Bean common mosaic virus
 bc-3 gene, 41
 Bean wildfire, 263
 Benomyl resistance
 M. grisea, 448
 smut, 144
 Benzimidazole resistance, 425-27, 429, 434
 Biodegradation
 see Delignification by wood-decay fungi
 Biological control
 Armillaria, 310
 bacterial wilt, 79-80
 citrus greening, 123
 models, 377
 see also Nematode management; Nematode natural enemies
 Biological line
 pest risk and exclusion, 226-27
 Biotechnology
 delignification 392-93
 Biotype
 definition, 174
 Blast
 see *Magnaporthe grisea* molecular genetics
 Blitecast forecaster
 potato late blight, 343
 Blister rust, 327
 Blood disease, 66-67
 Blotchy-mottle
 see Citrus greening
 Botrytis
 benzimidazole resistance, 425-27, 429
 cinerea
 fungicide resistance, 426, 428
 dicarboximide resistance, 427-29
 Boyce Thomson Institute, 7
 Breeding for resistance
 bacterial wilt, 76
 citrus greening, 122
 forest trees
 see Genetic diversity for resistance in forest trees
 nematodes, 76
 see also Nematodes, plant resistance and tolerance
 peanut
 see Resistance breeding in peanut
 see also Wild germplasm and plant diseases
 Bremia lactucae
 pheylamide resistance, 432
 Brown rots
 wood decay, 381
 Bruehl, G.W.
 see Plant pathology, changing profession
 Bunts
 see Small-grain smut genetics
 Burning
 citrus canker control, 400
 C
 C language, 348, 357-58
Caconema radicola, 23
Caenorhabditis, 100
 Calcium
 messenger systems, 319
 Pseudomonas Solanacearum, 75
 Caldwell, Ralph, 4
 CALEX/Peaches expert system, 356-57
 California Department of Agriculture, 242
Caloglyphus, 157
 Cankers A,B,C,D,E
 see Citrus canker in Florida
 Canopy growth models, 375
 Carbendazim
 with diethofencarb, 427, 429
 Carbofuran, 482
 Carbon
 toxin biosynthesis, 268
 Carboxin
 smut resistance, 144-45
 Carboxylic acid, 252
Caloglyphus sp., 157
 Carrot
 nematode management, 471
 Cassava
 bacterial wilt, 69, 72
Catenaria
 nematode biocontrol, 151, 161
 Cauliflower mosaic virus, 213
 Cell wall degradation
 see Delignification by wood-decay fungi
 Cellulase, 179
 see also Delignification by wood-decay fungi
 Centro Internacional de Agricultura Tropical, 45, 53
 Centro Internacional de Mejoramiento de Maiz y Triago, 50
Cercospora arachidicola
 peanut resistance, 284-88, 295-96
 ethylene, 291
Cercosporidium personatum
 peanut resistance, 284-86, 287, 295-96
 Cereal crop growth models, 361-89
 ARFC WHEAT, 369-71
 description, 369-70
 links, 370-71
 CERES, 371-72
 description, 371-72
 links, 372
 environment and pests, 375-76
 introduction, 361-62
 models, 362-69
 concepts, 362-64
 individual crop models, 369
 linkage, 368-69
 parameters, 368
 winter wheat, 364-68
 ModWHT, 373-74
 description, 373-75
 links, 374-75
 research and programming, 376-78
 WINTER WHEAT, 372-73
 description, 372-73
 links, 373
 Cereals
 see Small-grain smut genetics
 CERES models, 371-73, 376
 Chaos theory
 fungal life histories, 319
Cheloneurus cyanonotus
 greening biocontrol, 123
 Chemotherapy, 32
 citrus greening, 121-22
 Chitin
 nematode control, 481
 Chloramphenicol acetyltransferase ORF, 209
 Chlorimuron ethyl
 M. grisea, 448
 Chloropicrin, 79
 Chloroplast
 tobacco mosaic virus, 196
 chlorotic symptoms 194-202
 coat proteins, 196, 198, 200-1
 electron micrographs, 199-200
 Chlorotic symptoms
 see Virus-host interactions, tobamoviruses
 Chlorsulfuron, 377
 Citrus canker in Florida, 399-420
 bacterial spot and canker diseases, 406-17
 DNA analysis, 412-14
 epidemiology, 408-10

- etiology, 406-7
 isozyme analysis, 410
 perspectives, 415-17
 population dynamics, 407-8
 serological studies, 410-12
 xanthomonad classification, 414-15
- introduction, 400-6
 bacterial spot, 403-4
 diseases, 401-3
 eradication history, 401
 regulation research, 405-6
 research in USA, 404-5
- Citrus greening disease, 109-36
 causal agent, 117-19
 concluding remarks, 124-25
 control, 120-24
 detection, 119-20
 economic importance, 110-11
 greening pathogen control, 120-22
 breeding for resistance, 122
 chemotherapy
 thermotherapy, 120-21
 history and distribution, 109-10
 introduction, 109
 symptomatology, 111-12
 transmission, 114-17
 types and strains, 112-13
 varietal susceptibility and host range, 113-14
 vector control, 122-23
 biocontrol, 123
 insecticides, 122
 other measures, 123-24
- Citrus nematodes
 see *Tylenchulus*
- Cladograms, 95-96
- Cladosporium fulvum*, 178
- Clavibacter*
 component greening, 118
- Clones
 forest tree resistance, 333
 genes involved in *Pseudomonas* toxins, 256-59
 see also cDNA
- Coat proteins
 see Tobacco mosaic virus;
 Resistance
- Cobb, Alice Proctor, 16
- Cobb, Nathan Augustus
 early life, 16
 early professional career, 17-20
 higher education, 16-17
 introduction, 15
 other, 24-25
 USDA, 20-24
- Cocoa swollen shoot virus, 41
- Code of Nomenclature of Bacteria, 67
- Collaboration in research
 viral infections, 213
- Colleotrichum*, 477
- gloeosporioides*, 46
 augments citrus greening, 112
 infection responses, 45-46
 resistance, 40, 53
lindemuthianum, 178
- Commestrol, 181
- Competition
 see Mycelial individualism
- Computers
 C language, 348, 357-58
 expert systems
 see Expert systems in plant pathology
- FORTAN, 356
- information retrieval systems
 quarantine, 239
- interfaces, 346-47, 356
- LISP, 347-48
- Macintosh, 354, 356, 358
- models
 see Cereal crop growth models
- MS-DOS, 354-58
- nematode crop loss assessment, 475
- nematode sampling, 472
- PASCAL, 348, 353
- PROLOG, 347-48, 355
- role teaching, 5
- Savoir shell, 356
- Connecticut Agricultural Experiment Station
 see Dimond, Albert Eugene
- Conservation
 see Genetic diversity for resistance in forest trees
- Consultative Group on International Agricultural Research, 44
- Containment
 see Citrus canker in Florida;
 Exclusion and disease control
- Cook, R. James, 29
- Copolymerization, 178
- Copper, 161
 citrus canker, 405-6
- Coronamic acid, 252-53
- Coronatine
 see *Pseudomonas syringae*
 toxin genetics
- Corn blight, 35
- Coronafacic acid, 252-53, 258, 263
- H-coronafacoyl-L-isoleucine, 252-53
- Coronafacoylvaline, 253
- Cuscuta*
 citrus greening vector, 117
- Cotton research
 N. A. Cobb, 20-21
- COUNSELLOR expert system, 355-56
- Cricanemella xenoplax*
 fungal antagonists, 160
- Crinipellis perniciosa*, 316
- Cronartium*
 forest tree resistance, 330
 tissue hypersensitivity, 328
- Crop loss assessment
 see Nematode management
- Crop-weed complexes
 wild germplasm, 41
- Crops
 growth models
 see Cereal crop growth models
 host resistance
 see Host resistance
 protection
 see Fungicide resistance
 rotation
 models, 377
 nematode control, 477-80
 uniformity, 35
 wild relatives
 see Wild germplasm and plant diseases
- Cross-resistance
 see Fungicide resistance
- Croton hirtus*
 bacterial wilt, 72
- Cultivars
 resistant, 464
 apple scab expert systems, 351
 see also Genetic diversity for resistance in forest trees;
- Nematodes, plant resistance and tolerance; Resistance breeding in peanut susceptible
 fungicide use, 423
- CUPID canopy model, 375
- Cutinase
 role pathogenicity, 454-4
 CUT1, 455
- Cylindrocladium black rot
 peanut 280, 282, 295
- Cylindrocladium crotalariae*
 peanut, 282, 292
- Cyst nematodes
 see *Globodera*; *Heterodera*
- Cysteine residues, 268
- Cytokinins
 nematode resistance, 180
 trans-zeatin, 67

D

Dactylella oviparasitica
nematode biocontrol, 153-54

Dagger nematodes
see *Radopholus*

Damage functions
nematode management, 474-75

Databases
see Expert systems in plant pathology

Delignification by wood-decay fungi, 381-398
concluding remarks, 392-93
factors, 384-88
anatomical, 384-85
chemical and ecophysiological, 385-87
variation in fungi, 387-88
introduction, 381-83
lignolytic systems, 390-92
patterns, 383-84
physical aspects, 398-90

Development

see Growth

Developmental variation

see Mycelial individualism
2,4-Diaminobutyric acid, 249-51

Diaphorina citri
citrus greening vector, 115-17
control, 122-24

Dibromochloropropane, 482

Dicarboximide resistance, 427-29, 434

Dichomius squalens
lignin peroxidase activity, 388
Dickson, J. G., 3

Dieback

see Citrus greening

Diethofencarb
with carbendazim, 427, 429

Digamastellus quadrisetus
Berlese, 157

Dimethirimol, 432

Dimethoate

citrus greening, 122

5,7-dimethoxyisoflavone, 292

Dimond, Albert Eugene, 29-33

Dimond, Louise W., 33

Dimond, Naomi Sorkin, 31

Diplodia natalensis
augments citrus greening, 112

Disease cycle

M. grisea, 453

Disease triangle

role in quarantine, 224-26
Dissertations

quarantine coverage, 235

Distance metrics

nematode systematics, 93

Dithiocarbamates, 425

Dirtylenchus

dipsaci

host range differences, 174

host resistance, 179

see also Nematodes, plant resistance and tolerance

Diversity

see Genetic diversity

DMI resistance, 433-38

DNA

fingerprints

M. grisea, 451, 461

homology

greening isolates, 118

P. solanacearum, 66

P. s. syringae, 261

interaction RNA polymerase, 268

M. grisea, 448-49

chromosome walking, 452-53

probes, 248

citrus canker, 410-13

diagnosis greening, 120

nematode identification, 484

P. phaseolicola, 264

P. solanacearum, 67

relatedness

P. syringae pathovars, 248

cDNA

M. grisea, 447-49

mtDNA

nematode systematics, 92-93, 102

rDNA

nematode phylogeny, 102-3

DNA/DNA

homology

P. solanacearum, 66

Xanthomonas, 423-15, 417

hybridization

Pseudomonas solanacearum, 66

Dorylaimus, 19

Downey mildew

control, 429

quarantine, 226

Draconema, 21

Duggar, B.M., 29-31

Dutch elm disease

see Dimond, Albert Eugene

E

Earthworms

nematode biocontrol, 161

Echinodontium tinctorium, 313

Echinulation

smuts, 141-42

Ecosystems

modeling, 378

see also Delignification by wood-decay fungi; Mycelial individualism

Electrophoresis

Heterodera phylogenetics, 98-99

karyotyping *M. grisea*, 451-52

potato cyst nematode, 100

Pseudomonas solanacearum, 67

smut genetics, 145-6

Elsinoe phaseoli, 41

Embargo

definition, 233

Employment

regulatory control, 234

see also Plant pathology, changing profession

Endoparasitic fungi

nematode biocontrols, 159-60

Endoplasmic reticulum

effect nematode attack, 180

Entry status

see Exclusion and disease control

Environment

effect

bacterial wilt, 69

peanut resistance, 288

regulatory actions, 224-25

smut virulence, 142

tobacco mosaic virus necrosis, 211-12

toxin synthesis, 267-71

see also Nematodes, plant resistance and tolerance

interactions

disease triangle, 224-26

see also Bacterial wilt caused by *Pseudomonas solanacearum*

models

see Cereal crop growth models

pollutants

delignification, 393

weather-based disease

forecasters, 343, 357-58

see also Stress

Epidemiology

genetic base

see Wild germplasm and plant diseases

see also Bacterial wilt caused by *Pseudomonas solanacearum*;

Citrus canker in Florida

Eradication

citrus canker, 400, 405-6, 415

- Escherichia coli*, 253, 257
 tabtoxin, 259
 Esophageal gland cells
 see gland cells
 Ethirimol, 432-33, 436
 with DMI, 433
 Ethylene, 253, 292
 Ethylene dibromide, 482
 migration *Radopholus citrophilus*, 477
 Ethylmethane sulfonate
 mutagenesis, 264-5
 European and Mediterranean
 Plant Protection Organization, 223, 239
 Evolutionary fitness
 see Fitness; Mycelial individualism
 Exclusion
 nematodes, 477
 see also Citrus canker in Florida; Quarantine
 Exclusion and disease control, 219-246
 concepts, 221-231
 biological basis, 224-28
 control strategy, 222
 disease triangle, 225-26
 economical, social, political
 bases, 228-31
 geographic basis, 223-24
 legal basis, 222-23
 pest risk interaction, 226-28
 regulatory principles, 221-22
 definitions, 220-21
 entry status, 221
 pest risk, 221
 quarantine significance, 220
 risk/benefit consideration, 221
 safeguards, 221
 educating the public, 242-43
 introduction, 219-20
 quarantine negative image, 230-37
 Federal Plant Pest Act, 236-37
 IPM programs, 235
 Plant Quarantine Act, 235-36
 public attitude, 232
 review articles and dissertations
 textbooks, 234
 university courses, 234
 words "quarantine" and "embargo", 233
 Research, 237-42
 computer-assisted information retrieval, 239
 eradicans, 240
 molecular probes, 240-42
 pest risk assessment, 237-39
 zero tolerance and threshold
 requirement, 239-40
 Summary, 243-44
 Expert systems in plant pathology, 343-60
 beginnings, 343-44
 components, 344-47
 decision making process, 346
 knowledge base, 344-46
 making easy to use, 346-47
 developing, 348-52
 evaluation and adoption, 351-52
 hardware and software, 347-48
 knowledge acquisition, 349-51
 selecting the problem, 348-49
 future, 358-59
 plant pathology, 353-58
 Apple Pest and Disease Diagnosis, 356
 CALEX/Peaches, 356-57
 comparison of systems, 354
 COUNSELLOR, 355-56
 GrapES, 355
 Muskmelon Disorder Management System, 357
 Penn State Apple Orchard Consultant, 357-58
 PLANT/ds, 353
 POMME, 353-55
 White Pine Blister Rust, 355
 Extracellular polysaccharide
X. c. campestris, 257
 F
 Fallow
 nematode control, 478-79
 FAO Plant Protection Bulletin, 224
 Federal Plant Pest Act, 223, 236-37
 Fertility
 see Reproduction
 Fibonacci series
 wheat tiller growth, 364
 Field plot studies
 nematology, 149
 Financing research
 exclusion and control, 230-31, 238-39
 nematology, 149-50, 163
 peanut, 280
 see also Plant pathology, changing profession
 Fischer, George, 3
 Fitness
 definition, 174
 forest tree resistance, 329
 fungal establishment, 316
 fungicide resistance, 426, 428, 433
 peanut resistance, 288
 smut resistance, 144
 Flax rust
 host resistance, 40
 Flooding
 nematode control, 480
 Floral infection
 small-grain smuts, 138
 Florida
 see Citrus canker in Florida
 Foliar diseases
 oomycete fungicide resistance, 431-32
 peanut resistance, 283-89
 see also Leaves
 Food and Agriculture Organization
 see FAO Plant Protection Bulletin; United Nations Food and Agriculture Organization
 Foraging strategies
 mycelial, 309-10
 Forecasting
 nematode crop loss, 474, 476
 see also Expert systems in plant pathology
 Forest ecosystems
 see Delignification by wood-decay fungi
 Forestry
 see Genetic diversity for resistance in forest trees
 FORTRAN, 356
 Frost damage
 herbicides predispose, 377
 Fungal
 antagonists
 citrus greening, 123
 nematode, 480
 see also Nematode natural enemies
 biotechnology, 392-3
 degradation
 see Delignification by wood-decay fungi
 growth, 456
 individualism
 see Mycelial individualism
 pathogens
 see *Magnaporthe grisea*
 molecular genetics

- population dynamics
see Mycelial individualism
- Fungicide
expert systems, 345, 355, 358
research
A.E. Diamond, 30
resistance
smuts, 144-45
- Fungicide resistance, 421-42
2-amino pyrimidines, 432-33
benzimidazoles, 425-27
Botrytis in Swiss vineyards,
425-27
conclusions, 438-39
counter-measure impact, 425
dicarboximides, 427-29
Botrytis in the Champagne
Region, 427-29
DMI fungicides, 433-37
barley powdery mildew in
Europe, 434-36
mixtures and alternations,
436-37
wheat powdery mildew in
Northern Europe, 434
introduction, 421-24
use and resistance, 423-24
The Fungicide Resistance Ac-
tion Committee, 424-25
mixtures and alternations,
437-38
outlook, 439
phenylamides, 429-32
against foliar pathogens,
432
P. infestans, 430-31
P. viticola in France, 431-
32
- Fusarium*
augments citrus greening, 112
- Fusarium* wilt
nematode effects, 183
tomato, 80
see also Diamond, Albert Eu-
gene
- Fusiform rust, 327
- G
- β -galactosidase, 261, 269, 270
- Galls
nematode induced, 183
- Ganoderma*, 387
tsugae
delignification, 384-85
zonatum
delignification, 390
- Gene-for-gene interactions
plants and nematodes, 186
see also Virus-host in-
teractions, tobamoviruses
- General Agreement on Trade
and Tariffs, 228
- Genetic diversity
fungal, 458
delignification, 387-88
resistance to nematodes, 479
see also Mycelial individual-
ism; Resistance breeding
in peanut;
- Wild germplasm and plant dis-
ease
- Genetic diversity for resistance
in forest trees, 325-42
breeding, 331-34
conservation, 334-37
distribution, 327-31
introduction, 325-27
- Genetic linkage, 452
- Ustilago hordei*, 138
- Genetic manipulation
see cDNA; Clones; Mutants
- Genetics
see *Magnaporthe grisea*
molecular genetics;
Pseudomonas
syringae toxin genetics;
Small-grain smut genetics
- Genets
see Mycelial individualism
- Genomic interactions
see Mycelial individualism
- Genotype
- nematode
definition, 175
Gentic acid concentration
citrus greening, 120
Gentisoyl- β -D-glucose
citrus greening, 112, 118-19
Germination temperature
Tilletia, 142
- Germplasm
bacterial wilt
host resistance, 77, 80
forest tree resistance, 332,
334, 336
resistance to nematodes, 484
see also Wild germplasm
- Global warming
bacterial wilt distribution, 81
- Globodera*
pallida
aldicarb, 170
host resistance, 175-76,
183
identification, 484
systematics, 95, 97-98,
100-1
virulence, 173
rostochiensis
identification, 484
Ro1, 173, 175, 183
sampling, 472
- systematics, 95, 97-101
host resistance
see Nematodes, plant resis-
tance and tolerance
- systematics
see Nematode molecular
systematics
- β -glucosidase, 269
 β -glucosides, 270
Glutamine synthetase, 266
- Glycoproteins
role plant-nematode in-
teractions,
179
- β -glycosidase
potato cyst nematodes, 181
- Gossypol, 181
- graft
incompatibility
virus-induced necrotic reac-
tion, 194
transmissibility
citrus greening, 114-15
tomato spotted wilt virus,
287
- Grant system
see Financing research
- GrapES expert system, 355
- Grassy stunt virus, 49
- Grassy stunt virus of rice, 41
- Greening disease
see Citrus greening disease
- Growth
crop
see Cereal crop growth
models
degree days, 364, 368
fungal, 456
see also Mycelial in-
dividualism
reduction
role nematodes, 182-83
- H
- Hawaiian Sugar Planters
Association Experiment
Station, 19
- Heat
citrus greening vectors, 115-
16
- Hemicellulases, 391
- Heterobasidion annosum*
decay mechanisms, 385
life cycle, 319
- Heterodera*
avenae, 157
early planting for control,
480
fumigation, 472
fungal antagonists, 152-53,
159-60

- taxonomic relationships, 97, 99
- elachista*
bacterial antagonists, 154-55
- glycines*
host resistance, 176
role race virulence, 174
taxonomic relationships, 95, 98-100
- goettingiana*
management, 476
phylogenetics, 97
- host resistance
see Nematodes, plant resistance and tolerance
- lespedezae*
phylogenetics, 99
- radicicola*, 22-23
- rostochiensis*, 100
- schachtii*
early planting for control, 480
fungal antagonists, 154
taxonomic relationships, 95-99
- systematics
see Nematode molecular systematics
- trifolii*
phylogenetics, 99
- Hirsutiella rhostiliensis*
nematode biocontrol, 154, 160
- Homology
see DNA; rRNA
- Hormone inhibitors
nematode, 481
- Host pathogen interactions
forest tree resistance breeding, 329
quarantine, 224-26, 227
see also Cereal crop growth models; Mycelial individualism;
- Nematodes, plant resistance and tolerance; *Pseudomonas syringae*
- toxin genetics
- Host range
see Bacterial wilt caused by *Pseudomonas solanacearum*
- Host resistance
bacterial wilt, 73
environmental factors, 172
infection frequency, 291
nematodes, 478-79
see also Nematodes, plant resistance and tolerance
- rate-reducing, 291
- slow mildewing, 39
- tobacco mosaic virus, 196
- virus coat-protein mediated, 292
see also Genetic diversity for resistance in forest trees;
- Resistance breeding in peanut; Wild germplasm and plant diseases
- Host specificity
see *Magnaporthe grisea* molecular genetics
- Hyaluronidase, 121
- Hygromycin B, 448
- Hydrogen peroxide, 180
- Hymenochaete corrugata*, 309
- Hypersensitive response
breeding for, 294
- Cronartium*, 329
- nematode, 180-81, 293
- P. s. syringae* induced, 252
- tobamoviruses
see Virus-host interactions, tobamoviruses
- Hyphal anastomosis, 305-6, 308
- Hypoaspis* nr. *aculeifer* (Canestrini), 157
- Hypoxylon*
fragiforme, 313
fuscum, 313
- I
- ICI Agrochemicals, 355
- Incompatibility
see Mycelial individualism
- India
see Resistance breeding in peanut
- Indian dieback
see Citrus greening disease
- Individualism
see Mycelial individualism
- Indoleacetic acid oxidase activity, 181
- Infection responses
Colletotrichum gloeosporioides, 45-46
Puccinia coronata, 46
- Inoculum
bacterial wilt, 69-71
density
peanut resistance, 288
fungal
see Mycelial individualism
- nematode
biocontrol, 161-62
see also Nematodes, plant resistance and tolerance
- small-grain smuts, 138
- wild populations, 47
- Inonotus dryophilus*
delignification, 385, 390
- Insect-disease interactions
forest tree resistance, 331
- Insect vectors
exclusion, 224
see also Citrus greening disease
- Insecticide Resistance Action Committee, 425
- Insecticides
citrus greening, 122-23
- Integrated crop protection
see Fungicide resistance
- Integrated pest management programs
bacterial wilt, 79
exclusion and control, 235
expert systems
see Expert systems in plant pathology
- see also Fungicide resistance; Nematode management
- Intercrossing
see Genetic diversity for resistance in forest trees
- International Agricultural Research Centers, 43-45
- International Benchmark Sites for Agrotechnology Transfer, 361, 376
- International Board for Plant Genetic Resources, 49
- International Crops Research Institute
see Resistance breeding in peanut
- International Mycological Institute, 48
- International Plant Protection Convention, 220, 223-24
- International Society for Plant Pathology, 417, 425
- Interspecies antagonism
see Mycelial individualism
- Invertebrate antagonists
see Nematode natural enemies
- Ion transport
effects syringomycin, 252, 267-68
- IPM
see Integrated pest management
- Iron
role syringomycin production, 268
- Isoenzyme data
nematode systematics, 92-94
- Lisoleucine, 252

J

- Jenkins, E.H., 29
Johnson, S.W., 32

K

- Karyotypes
 M. grisea, 451-52
 smut genetics, 146
Knowledge bases
 see Expert systems in plant pathology
Krebs cycle, 319

L

- Laboratory equipment, 7-8
 β -lactam, 254, 258-59
 β -lactamase, 259
Lactose, 402
Lampito mauritii, 157
Large proteins
 synergomycin, 268
 biosynthesis, 259-61
 STP1, 259-61
 STP2, 259-61
 syr genes, 260-61
Late blight, 50
 fungicide resistance, 430
 potato, 424
Latent infections
 see Bacterial wilt caused by *Pseudomonas solanacearum*
Leaf mottle
 see Citrus greening disease
Leaf spot
 P. solanacearum, 71
 see also *Cercospora arachidicola*; *Cercosporidium personatum*
Leaves
 chlorotic symptoms, 255
 see Virus-host interactions, tobamoviruses
 growth
 see Cereal crop growth models
 necrotic symptoms
 see Virus-host interactions, tobamoviruses
 nematode effects, 168-9, 182-83
 see also Foliar diseases
Lectins, 179
 role plant-nematode reactions, 481
Lentinula edodes
 delignification, 389

Life cycles

- cereals
 see Cereal crop growth models
fungal
 see Mycelial individualism
nematode, 469-70, 481, 484
Lignin degradation
 see Delignification by wood-decay fungi
Lignin peroxidase, 388, 390-91
Light
 factor growth models, 374
Likubin
 see Citrus greening disease
LISP, 347-48
Loblolly pine
 resistance, 328
 fusiform rust, 327
Lodgepole pine
 resistance, 328
Long-range dispersal
 Pseudomonas solanacearum, 69-70
Lysine, 254

M

- McKinney, H.H., 3
Magnaporthe grisea
 appressoria, 454, 458
 cloned genes
 CUT1, 447, 449
 ILV1, 447-48
 RSY1, 447, 454
 conidia, 446, 461
 mutants
 ALB1, 445
 BUF1, 444
 drug-resistant, 446
 melanin-deficient, 446
 SMO1, 445
 transformation
 ALB1, 454
 BUF1, 454
 GUY11, 452
Magnaporthe grisea molecular genetics, 443-67
 classical genetics, 445-53
 cloned genes, 447
 electrophoretic karyotyping, 451-52
 fertile laboratory strains, 445-46
 gene disruption, 448-49
 genetic mapping, 452-53
 middle repetitive DNA sequences, 449-51
 mutant isolation, 446
 transformation, 447-48
 vegetative diploid phase, 446-47
field into laboratory, 444-45
future efforts, 463-64
host specificity, genetics and cytology
 genes for pathogenicity and virulence, 458-61
 histological complexity, 458
host specificity, new insights on variation, 461-62
introduction, 443-44
molecular pathogenesis mechanisms, 453-57
 disease cycle, 453
 penetration, 453-55
 proliferation, 455-57
Magnaporthe grisea repeat (MGR), 447, 449-50, 452, 459, 461
SMO1, 455
Magnesium peroxidases, 390-91
Maize
 quarantine, 226
Maltose, 402
Manganese, 390-91
Manure
 nematode biocontrol, 161
Marlatt, C.L., 21
Mating-type loci
 M. grisea, 445
 Tilletia, 141
 Ustilago, 139-40, 145
Melampsora, 329
Meloidogyne arenaria
 bacterial antagonists, 155-56
 peanut, 280
 phylogeny, 92-94
 soil sampling, 471
graminicola
 flooding for control, 480
hapla
 peanut, 280
 root damage indices, 471
 systematics, 92-93
host resistance
 see Nematodes, plant resistance and tolerance
incognita
 bacterial antagonists, 162
 cytokinin treatment, 180
 density sampling, 475
 host resistance, 41, 176, 179, 181
 nutrient effects, 183
 systematics, 92, 94
javanica
 bacterial antagonists, 162
 biocontrol, 153-54
 systematics, 92-94

see also root-knot nematodes
 sampling, 471, 473, 484
 soil fumigation, 470
 soil temperatures, 480
 systematics
 see Nematode molecular systematics
 Membrane degradation
 citrus canker, 406
 syringomycin, 252
 see also Delignification by wood-decay fungi
Mesodiplogaster lheritieri, 157
 Metal-protein complexes, 252
 Metalaxyl, 430
 Methyl bromide, 470
Mi gene, 177-78
 Mexican lime cancris
 see Citrus canker in Florida
 Mineral ash, 78
 Mitochondrial nucleic acid hybridization
 nematode detection, 484
 Models
 nematode crop loss, 474
 see also Cereal crop growth models
 ModWHT winter wheat model, 373-76
 Molecular genetics
 see *Magnaporthe grisea* molecular genetics, *Pseudomonas* syringae toxin genetics; Small-grain smut genetics
 Monoclonal antibodies
 citrus canker, 411
 citrus greening, 113, 120
 nematode
 gland cell products, 196
 identification, 484
 Monocrotophos
 citrus greening disease, 122
 Monoterpenes, 328
 Morpholine resistance, 435, 435
 Morphology
 see Cereal crop growth models
 Mosaic symptoms
 see Virus-host interactions, tobamoviruses
 Muskmelon Disorder Management System, 357
 Muskmelon powdery mildew, 345-46
 Mutants
 fungal versatility, 319
 M. grisea, 447-49
 nontoxicogenic
 see *Pseudomonas syringae* toxin genetics
 smuts, 139

tobamovirus, 197, 202
 see also Genetic diversity for resistance in forest trees;
Magnaporthe grisea molecular genetics
 Mycelial individualism, 305-23
 conclusions, 320
 control of variation, 318-20
 inoculum potential, 307-13
 arrival, spores or mycelium, 308-10
 establishment, 310-13
 introduction, 305-7
 life history strategies, 313-20
 genetic variation, 315-17
 genomic symbiosis, 317-18
 R-, C- and S-selection, 314-15
 selection, routine and episodic, 315
 Mycoplasma-like organisms
 citrus greening, 117

N

Nacobbus, 169
 National Institutes of Health, 7, 9
 National Science Foundation, 7, 9-10, 31-32
 Necrosis
 nematode, 180
 see also Citrus canker in Florida; Virus-host interactions,
 tobamoviruses
 Nematicides, 475-76, 482-83
 aldicarb, 170, 482
 alternatives, 478
 see also Nematode natural enemies
 carbofuran, 482
 carrot, 471
 field plot studies, 149
 groundwater contamination, 482
 systematic, 482
 Nematode
 control
 see Nematode natural enemies
 gland cells, 168, 179, 186
 races
 see Nematodes. plant resistance and tolerance
 reproduction
 see Nematodes. plant resistance and tolerance
 resistance to, 478-9
 saliva, 168, 179
 soil solarization, 482

suppressive soils
 nematode, 293, 481
 see also Nematode natural enemies
 systematics
 see Cobb, Nathan Augustus; Nematode molecular systematics
 Nematode management, 469-90
 improving identification and management, 483-84
 introduction, 469-70
 programs, 470-83
 direct management tactics, 480-83
 exclusion, 477
 management tactics, 476-83
 predicting population change and crop loss, 474-76
 sampling, 470-73
 suboptimal hosts or environments, 477-80
 Nematode natural enemies, 149-166
 conclusions, 163
 exotic antagonists into soil, 161-62
 bacterial, 162
 fungal, 161-62
 introduction, 149-50
 manipulating nematode enemies, 158-62
 bacterial antagonists, 160
 endoparasitic fungi, 159-60
 invertebrate antagonists, 160-61
 nematode-trapping fungi, 159
 opportunistic fungal parasites, 160
 soil antagonists, 158-61
 suppressive soils, 150-58
 bacterial biocontrol, 154-56
 fungal biocontrol, 152-54
 invertebrate biocontrol, 156-5
 invertebrate dispersal, 157
 invertebrate reproduction, 157-58
 invertebrate voracity, specificity, survival, 156-57
 Nematode systematics and molecular data, 89-107
 concluding remarks, 103
 Heteroderinae, 95-97, 95-101
 generic relationships, 95-97
 Globodera biochemical taxonomy, 100-1

- Heterodera* biochemical taxonomy, 98-100
 sibling species, races and pathotypes, 98
 species relationships, 97-98
 introduction, 89-90
Meloidogyne, 91-94
 Molecular data in nematode phylogeny, 101-3
 Nematodes, plant resistance and tolerance, 167-92
 damage mechanisms, 182-84
 damage components, 182-84
 impaired root function, 183-84
 parasitic, 183
 introduction, 167-68
 nematode biology, 168-69
 resistance, tolerance genetics, 175-76
 resistance and virulence, 176-77
 resistance mechanisms, 177-79
 resistant response, 180-81
 summary, 185-86
 terminology, 169-75
 biotype, pathotype, race, 174-75
 pathogenicity, virulence, 171
 resistance, tolerance, 169-71
 resistance, susceptibility, aggressiveness, 171-74
 tolerance, 181-82
 tolerance, occurrence and use, 184-85
 tolerance, tscreening, 185
 yield loss and tolerance, modeling, 182
 yield reduction and tolerance mechanisms, 184
 Nematologists, 3
 see also Cobb, Nathan Augustus
Nematophthora gynophila Kerry and Crump
 nematode biocontrol, 159-60
Neurospora crassa
 New South Wales Department of Agriculture, 17
 Nitrogen
 nematode effects, 183
 role
 delignification, 386
 fungicide resistance, 423, 429
 toxin biosynthesis, 268
 uptake modeling, 374-75, 377
 Nonhost interactions
 viral, 194
 North American Plant Protection Organization, 223
 Nursery canker
 see Citrus canker in Florida
 Nutrients
 effect toxin synthesis, 267-68
 imbalance
 expert systems, 356
 O
 Obituaries
 see Dimond, Albert Eugene
 Octanoyl coenzyme A, 251
 Octicidin, 254-55, 258
 Octopamine
 Oilseed crops
 see Resistance breeding in peanut
 Organic Act, 223
 Ornithine carbamoyltransferase, 255
 Outcrossing
 see Mycelial individualism
 Oxalic Acid, 292-93
 Oxyuris, 18, 19
 P
Paecilomyces
 nematode biocontrol, 151 p.
Palo blanco, 384
Palo podrido, 384-86
 Pantothenic acid
Ustilago hordei, 140
 PASCAL, 348, 353
Pasteuria
 nematode biocontrol, 152, 154, 162
penetrans
 nematode biocontrol, 154-56, 160-61
 Pathogenesis-related proteins
 nematode effects, 183-84
 Pathogenicity
 definition, 171
 see also *Magnaporthe grisea*
 molecular genetics;
Pseudomonas syringae toxin genetics
 Pathotypes
 definition, 174
 nematode
 see Nematodes, plant resistance and tolerance
 Peach disease expert systems, 356-57
 Peanut
 bacterial wilt, 69, 71, 75-76
 see also Resistance breeding in peanut
 Peanut clump virus, 288
 Peanut Collaborative Research Support Program, 280
 Peanut leaf spot
 fungicide resistance, 425
 Peanut mottle virus, 280, 287
 Pectin methylesterase, 179
 Penicillin G
 treatment citrus greening, 117-18
 Penicillin-carbendazim dip
 citrus greening, 121
 Penn State Apple Orchard Consultant, 348-50, 355, 357-58
 Apple Scab Module, 350-51
 Peptide antibiotics, 251
 Peroxidase activity
 citrus greening, 112, 122
 Pesticides
 role quarantine, 240
Phanerochaete chrysosporium
 delignification, 387-88, 390-91
 soil detoxification, 392
 Phascolotoxin
 see *Pseudomonas syringae*
 toxin genetics
 β -phellandrine, 328
Phellinus
kawakamii
 delignification, 385
nigrolimitatus
 delignification, 385
pini
 delignification, 383-84, 391
weirii, 309
 Phenolic compounds
 nematode control, 181, 481
 Phenylalanine, 204
 Phenylamide resistance, 429-32, 434
Phomopsis
 outcrossing, 312
 4'-phosphopantetheine, 251
 Photosynthates, 368
 role on growth models, 374
 Photosynthesis
 nematode effects, 183
 Photosystem II
 tobacco mosaic virus coat protein, 196
 Phyllochron value
 cereal growth, 365-66, 368, 374
 Phylogenetics
 see Bacterial wilt caused by *Pseudomonas solanacearum*;

- nematode systematics and molecular data
- Phytoalexins
 - resistance, 178
 - peanut, 181, 293-94
- Phytophthora infestans*
 - phenylamide resistance, 429-31
- Phytotoxins, 456-57
 - see also *Pseudomonas syringae* toxin genetics
- PLANT/ds expert system, 353
- Plant microbe interactions
 - see *Pseudomonas syringae* toxin genetics
- Plant pathology, changing profession, 1-12
 - employment, 5-6
 - extension, 6-7
 - financing
 - conventional breeding, 11
 - research, 7-10
 - societies, 11-12
 - introduction, 1-2
 - research, 2-3
 - specialization, 3-4
 - teaching, 4-5
- Plant Protection
 - see Exclusion and disease control
- Plant Quarantine Act, 21, 222, 235-36
- Planting material
 - bacterial wilt, 69-70
- Plasmids
 - coronatine biosynthesis, 262-63
 - P. syringae* toxins, 262-63
 - Tilletia*, 146
- Plasmopara viticola*
 - resistance
 - fungicide, 430-32
 - host, 40
- Plum pox virus
 - spread, 224
- Political factors
 - quarantine, 229
- Polygenic modification
 - smuts, 142-43
- Polyketide biosynthesis genes, 258
- Polymyxins, 251
- Polyphenol
 - seed coat, 292
- POMME expert system, 353-55
- Ponderosa pine
 - resistance, 328
- Population dynamics
 - citrus canker, 407-8
 - forest tree resistance, 330, 332, 334
- fungal
 - see Mycelial individualism
- nematode
 - see Nematode management; Nematode natural enemies
- Porphyrins
 - mimic lignin peroxidase, 391
- Portulaca oleracea*
 - bacterial wilt, 72
- Potassium
 - ion transport, 252
- Potato
 - seed
 - fungicides, 430
 - tubers
 - bacterial wilt, 71
 - Potato cyst nematode
 - see *Globodera*
 - Potato late blight
 - expert systems, 343
- Pound, Glenn, 3
- Powdery mildew
 - barley
 - fungicide resistance, 432-36
 - cereal
 - fungicide resistance, 437
 - cucumber
 - fungicide resistance, 432-33
 - grape
 - fungicide resistance, 435
 - wheat
 - fungicide resistance, 433-34
 - muskmelon, 345-46
- Pratylenchus scribneri*, 181
- Prionchulus punctatus*, 156
- Proline
 - Ustilago*, 140-41
 - L-proline, 112
- PROLOG, 347-48, 355
- Proteins
 - see Large proteins; Metal-protein complexes
- Pseudocercospora herpotrichoides*, 8
- Pseudomonas*
 - aeruginosa
 - OCTase, 259
 - phosphate-regulated enzymes, 266
 - citri, 402
 - pickettii, 66
 - solanacearum*, 41
 - aerial transmission, 71
 - avirulent strains, 80
 - biocontrol, 79-80
 - calcium, 75-76
 - DNA homology, 66
 - leaf spot infection, 71
 - Meloidogyne*, 76
 - peanut resistance, 282, 296
 - potato, 70, 79
 - potato resistance, 73-74, 77
 - racess, 67-68
 - rRNA homology, 66-67
 - streptomycin-resistant, 76
 - temperature in virulence, 73
 - tobacco resistance, 77
 - tomato resistance, 77-78
 - var. *asiaticum*, 68
 - weed hosts, 71-72
 - solanacearum* bv. 1, 67-68, 70
 - solanacearum* bv. 2, 67-68, 71-74, 76, 79
 - solanacearum* bv. 3, 67-68, 72-74
 - solanacearum* bv. 4, 67, 73
 - solanacearum* var. *asiaticum*, 68
 - see also Bacterial wilt caused by *Pseudomonas solanacearum*
- syringae*
 - DNA relatedness pathovars, 248
 - host specificity, 271
 - tabtoxin, 266
 - syringae* pv. *atropurpurea*
 - coronatine, 252, 262
 - syringae* pv. *maculicola*
 - cor gene cluster, 263
 - syringae* pv. *phaseolicola*
 - OCTase, 259, 264
 - pathogenic genes, 271
 - phaseolotoxin, 254-55, 257, 266
 - phaseolotoxin gene cluster, 264-65
 - plasmids, 262-63
 - syringae* pv. *syringae*, 404
 - amino acid auxotrophies, 256
 - β -glucosides, 270
 - hypersensitive reaction, 252
 - mutants, 251-52, 256-58, 260
 - pathogenic genes, 271
 - syr genes, 260-61, 265
 - syringomycin, 249-52, 259, 265, 269
 - toxins, 248
 - syringae* pv. *tomato*, 258
 - cor genes, 262-3, 265-66, 270
 - coronatine, 265-66, 270
 - syzygii*, 66
 - tagetis*
 - tagetitoxin, 255

- tagetis* pv. *coronafaciens*,
253, 263
tagetis pv. *garcae*, 253
tagetis pv. *tabaci*, 253, 259
tabtoxin, 266-63
Pseudomonas syringae toxin gene-
netics, 247-78
cloning toxin genes, 256-59
biosynthesis clusters, 258-
59
 mutational, 256-58
environmental control gene
 expression, 267-71
 nutritional factors, 267-68
 plant signal activation,
 268-71
genetics toxin production,
 259-65
 large protein complexes,
 259-61
 phaseolotoxin cluster, 264-
 65
 tabtoxin cluster, 263-64
introduction, 247-48
perspectives, 271-72
toxigenicity and virulence,
 265-67
toxin structure suggests
 biosynthesis, 248-55
 coronatine, 252-53
 phaseolotoxin, 254-55
 syringomycins, 249-52
 tabtoxin, 253-54
 tagetitoxin, 255
Pseudoperonospora cubensis
 phenylamide resistance, 429
Psylla vectors
 see Citrus greening disease
Pterotylenchus cecidogenus, 41
Public relations
 quarantine, 232
Public service, 9
Publications and tenure, 6
Puccinia
 coronata
 infection responses, 46
 resistance, 47
 resistance mapping, 39
 graminis
 life cycle, 319
 graminis tritici
 host resistance, 50
 hordei
 interspecies competition,
 310
 horiana Henn.
 quarantine, 243
 recondita
 resistance mapping, Israel,
 39
N-pyrrolidinomethyl tetracycline,
 122, 125
Pythium
 myriotylum
 peanut resistance, 282, 292
 pod rot, 294-95
Q
Quarantine, 21
 bacterial wilt, 69
 citrus canker, 401, 404-6,
 415
 definition, 233
 wild germplasm, 48-49, 55
 see also Exclusion and dis-
 ease control
R
Races
 definition, 174-75
Radopholus
 citrophilus
 exclusion, 477
 fallow, 479
 host resistance
 see Nematodes, plant resis-
 tance and tolerance
 similis, 18-19
Rainfall
 expert systems, 357
Red rots, 381
Regulatory control
 citrus canker, 400-1
 see also Exclusion and dis-
 ease control; Quarantine
Reproduction
 fungal
 see Mycelial individualism
 M. grisea, 445-46, 459
 nematode, 172-73
Resistance
 see Fungicide resistance; Host
 resistance
Resistance breeding in peanut,
 279-303
 expectations, 297
 host variability, 281-88
 foliar diseases, 283-88
 soil-borne pathogens, 282-
 83
 introduction, 279-280
 breeding for resistance, 280
 peanut diseases, 280
 pathogen variability, 288-90
 foliar diseases, 288-89
 soil-borne pathogens, 289-
 90
 progress, 296-97
 resistance, 290-94
 foliar diseases, 290-92
 soil-borne pathogens, 292-
 94
 strategy, 294-96
Respiration
 role phytoalexins, 293
Restriction fragment length
 polymism (RFLP)
 M. grisea mapping, 453, 460
 Xanthomonas, 423, 415-16
Review papers
 quarantine coverage, 234-5
Rhizobium
 host specificity, 271
Rhizoctonia foliar blight, 53
Rhizoctonia solani, 377
 peanut resistance, 292
RHIZOS model, 372
Rhizosphere
 see Nematode natural enemies
Ribulose 1,5-bisphosphate car-
 boxylase, 255
Rice blast fungus
 see *Magnaporthe grisea*
 molecular genetics
Rice cyst nematode
 see *Heterodera elachista*
Risk analysis
 see Exclusion and disease
 control
RNA
 double-stranded, 464
 polymerase
 interaction DNA, 268
 tobacco mosaic virus, 210
 genome, 195
 hypersensitive reaction, 205
mRNA
 tobacco mosaic virus genome,
 195
rRNA
 effect tagetitoxin, leaves, 255
 homology *P. solanacearum*,
 66-67
 nematode phylogeny, 101
RNA/DNA hybridization
 Pseudomonas solanacearum,
 66
Root-knot nematodes
 bacterial antagonists, 152, 154,
 162
 host resistance
 peanut, 293
 see also Nematodes, plant
 resistance and toler-
 ance
 soil organic amendments, 158
 see also *Meloidogyne*; Nematode
 molecular systematics
Root-tip galls
 nematode induced, 169
Roots
 growth
 see Cereal crop growth
 models

- nematode effects, 168, 183-84
pruning, 477
Rosette virus
peanut resistance, 280, 286-86, 294, 296
Rust
peanut resistance, 283-84, 288, 291, 294
quarantine, 225
resistance models, 377
soybean resistance, 52
see also Blister rust, Flax rust, Fusiform rust
- S**
- Saccharomyces cerevisiae*, 447
Sampling
see Nematode management
Saturation deficit index, 116, 124
Scientific illustration
see Cobb, Nathan Augustus
Sclerotinia
minor
peanut resistance, 283, 292-93, 296
Sclerotium
rolfsii
peanut resistance, 282, 292, 295
Seed
forest tree resistance, 337
fungicide treatment, 436
Seinura tenuicauda (De Man)
reproduction, 158
storage germplasm, 44
Seedborne pathogens
germplasm movement, 48
small-grain smuts, 138
Selection
see Mycelial individualism
Septoria
nodorum, 316
yield losses, 378
Serine, 204, 254
S-H mixture, 78
Sharville, Eric, 30
Shurtleff, M.C., 12
Signals, 248
toxin production, 268-71
Single-gene resistance
to nematodes, 479
see also Genetic diversity for resistance in forest trees
Slow mildewing, 39
Small grain smut genetics, 137-47
biochemical techniques, 145-46
electrophoresis, 145-46
karyotypes, 146
plasmids, 146
transformation, 146
fungicide resistance, 144-45
general, 138-42
echinulation, 141-42
germination temperature, 142
mating-type loci, 139-41
mutation and linkage, 139
introduction, 137-38
summary, 146-47
virulence, 142-44
fitness, 144
polygenic modification, 142-43
reversal dominance, 143
selection, 143-44
Smith, Erwin F., 20
Smut fungi
see Small-grain smut genetics
Soil
amendments to control nematodes, 481
antagonists
see Nematode natural enemies
conditions
see Bacterial wilt caused by *Pseudomonas solanacearum*
fumigants
citrus canker, 405
modeling, 372-74
Soil sampling
see Nematode management
Soil-Borne pathogens
bacterial wilt
see Bacterial wilt caused by *Pseudomonas solanacearum*
peanut resistance, 289, 292-94, 295
Somatic incompatibility
see Mycelial individualism
Southern Regional Plant Introduction Center, 281
Southern stem rot
peanut resistance, 282, 294
Soybean cyst nematodes
bacterial antagonists, 152
host resistance, 177
see also *H. glycines*
Soybean disease expert systems
PLANT/ds, 353
Soybean mosaic virus
spread, 44
Soybean rust, 40
Spergon, 30
Spires
mycelial individualism, 308-10
Sporidia
small-grain smuts, p 138
Standards for Naming Pathovars, 415
Stem and bulb nematodes
see *Diitylenchus*
Stimulon, 268
Stomata
syringomycin, 252
Storage temperature potato tubers
P. solanacearum, 70
Streptomyces
granaticin synthetase gene cluster, 261
M. griseus, 255, 257
polyketide synthase genes, 263
violaceoruber, 261
Stress
cereal growth models, 367, 370, 377
forest tree resistance, 329
fungal establishment, 312, 314
Strip cankers
mycelial individualism, 312
Stromata
fungal competition, 313
Sugar beet cyst nematode
see *Heterodera*
Sugars
toxin production, 269-70
Sulfonylurea resistance
M. grisea, 442
Sumatra disease of clove, 66
Superoxide dismutase, 180
Suppressive soils
see Nematode natural enemies
Susceptibility
definition, 171
Syr genes, 260-61, 265, 269
Sweet potato
bacterial wilt, 69
Syringyl/guaiacyl ration, 386-87
Syringomycin synthetases, 261
Syringomycins
see *Pseudomonas syringae*
toxin genetics
Syringostatin, 249-51
Syringotoxin, 249-51, 260
Systematics
genomic analysis, 37
nematode
see Cobb, Nathan Augustus; Nematode molecular systematics
P. solanacearum
see Bacterial wilt caused by *Pseudomonas solanacearum*
wild species, 37
Xanthomonas, 412-15

T

- Tabtoxin**
see *Pseudomonas syringae*
toxin genetics
- Tabtoxinine- β -lactam**, 254, 259, 263, 266
- Tagetitoxin**
see *Pseudomonas syringae*
toxin genetics
- Tannin**, 292
- Taylor's Power Law**, 472-73, 475
- Taxonomy**
see Bacterial wilt caused by *Pseudomonas syringae*; Nematode
- systematics and molecular data**; Systematics
- Teaching**
see Plant pathology, changing profession
- Temperature**
high
citrus greening vectors, 115-16
resistance gene breakdown, 178
host-pathogen interactions
bacterial wilt, 72-74
role
bacterial wilt, 79, 81
cereal growth, 364, 368, 372
citrus greening, 112
delignification, 386
nematode biocontrol, 160
peanut resistance, 289
storage potato tubers
P. solanacearum, 70
Tenuazonic acid, 457
Tenure, 6
Tetracycline hydrochloride
citrus greening, 121-22
Thermal time
cereal growth models, 370, 372
Thermotherapy
citrus greening, 120-21
L-threonine, 254
Threshold requirements
quarantine, 240
Tiller growth
see Cereal crop growth models
- Tilletia**
controversa
germination temperature, 142
karyotypes, 146
mating-type locus, 141
indica, 138
inheritance of isozymes, 145-46
mating-type locus, 141
plasmids, 146
tritici
germination temperature, 142
see also Small-grain smut genetics
- Tobacco**
N gene, 202-3, 208-9, 213
N' gene, 203-8, 212-13
nn, n'n' genotype, 209-12
tobamovirus-induced necrosis, 202-211
transgenic
tobacco mosaic virus coat protein, 196
Tobacco mosaic virus
chloroplast degradation, 201-2
chlorotic symptoms, 195-202
coat protein, 195-96
hot regions, 207
monomers, 207
nn, n'n' genotype, 209, 212
ORF, 203-5, 209
wild-type, 198, 205
coat protein mutants, 198, 201, 209-10
cp 10, 209-10
cp 27, 209-10
genome, 195
genomic RNA, 196
Holmes' masked strain, 197
hypersensitive reaction
see Virus-host interactions, tobamoviruses
necrotic symptoms, 202-211
proteins, 195
U1 strain, 196, 205
U5 strain, 196
wild-type, 211-21
see also Virus-host interactions, tobamoviruses
- Tolerance**, 239-40
to nematodes, 479
see also Nematodes, plant resistance and tolerance
- Tomato**
tobamovirus hypersensitive reaction, 211-13
Tomato spotted wilt
peanut resistance, 280, 287
- Toxins**
nematode resistance, 177
Toxoptera citricidus, 125
Trametes versicolor
wood decay, 390
Trans-zeatin, 67
Triadimenol resistance
barley powdery mildew, 434-35
- Trichaptum bifforme**
delignification, 385
- Triozia erytrae**
citrus greening vector, 115-17
control, 123-24
- Tristeza virus**, 117
- Tylenchus**, 18
granulosus, 18
granular nematocides, 483
host resistance
see Nematodes, plant resistance and tolerance
semipenetrans
exclusion, 477
hypersensitive response, 180
sampling, 473
similis, 18-19
Tyrophagus similis
nematode biocontrol, 157
- U**
- Uncinula necator**
resistance, 40
- United Nations Food and Agriculture Organization**, 223, 239
- United States Agency for International Development**, 280
- United States Department of Agriculture**
Agricultural Research Service, 10, 404
Animal and Health Plant Inspection Service, 400-1
Plant Protection and Quarantine, 233, 242
Southern Regional Plant Introduction Station, 281
Tropical Agriculture Grant Program, 404
see also Cobb, Nathan Augustus
- University of Florida**
Institute of Food and Agricultural Services, 404-5
- University of Jena**, 17
- University of Nebraska**, 30
- University of Pennsylvania**, 30
- University of Wisconsin**, 3-4, 29
- Urea**, 78
- Ustilago**
hordei, 138-39, 141
chemotaxonomy, 145
echinulation, 141-42
fungicide resistance, 144-45
karyotypes, 146
mating-type loci, 140

- mutants, 139
virulence, 142-43
kollerii
 echinulation, 142
nigra
 chemotaxonomy, 145
 echinulation, 141
nuda
 mating-type loci, 139, 141
 tritici
 karyotypes, 146
 see also Small-grain smut genetics
- V
- Vectors
 insect
 see Citrus greening
 quarantine, 224
Vein phloem degeneration
 see Citrus greening
Venturia inaequalis
 benzimidazole resistance, 425
Verticillium chlamydosporium
 nematode biocontrol, 160
Vesicular-arbuscular mycorrhizae
 bacterial wilt, 80
Vinclozolin/thiram, 429
Viral
 elicitors, 203
 tobamovirus HR, 204-8,
 211-12
 genomic sequences, 193-94
 replication
 tobamoviruses, 195-96
Virulence
 definition, 171
 see also Genetic diversity for
 resistance in forest trees;
Nematodes, plant resistance and
tolerance; *Pseudomonas*
syringae toxin genetics;
Small-grain smut genetics
Virus-host interactions, tobamo-
viruses, 193-217
 chlorotic symptom induction,
 195-202
 mature leaves, 197-202
 systemic infections, 195-97
 conclusions, 212-23
 introduction, 193-95
 necrotic symptom induction,
 202-11
 hypersensitive reactions,
 202-3
 Nicotiana plants with the
 nn, n'n' genotype,
 209-11
 Nicotiana sylvestris N'
 gene, 208-9
 Nicotiana sylvestris N'
 gene, 203-8
- Tm-2 tomato gene, 211
systemic necrosis, 212
Viticulture
 see Fungicide resistance
- W
- Waksman, S.A., 30
Walker, J.C., 3
Washington State University, 5,
 7, 9
Washington State Wheat Com-
mission, 10
Wasps
 greening biocontrol, 123
Water relations, 183
Weather
 disease forecasters, 343, 357-
 58
 growth models, 377
 spread citrus canker, 409
Weed hosts
 P. solanacearum, 71-72
Weed-crop coupling points
 see Cereal crop growth mod-
 els
Wheat
 host resistance
 see Wild germplasm and
 plant diseases
 research
 N. A. Cobb, 18
 winter wheat models
 ModWHT, 373-76
 WINTER WHEAT, 372-
 75
 see also Cereal crop growth
 models
Wheat leaf rust, 40
White pine blister rust, 327
 expert systems, 355
White rot fungi
 see Delignification by wood-
 decay fungi
Wild germplasm, 326
 quarantine, 221, 224, 226
Wild germplasm and plant dis-
eases, 35-63
 collection, 42-49
 collection and maintenance,
 42-45
 ex-situ evaluation, 45-
 46
 in-situ evaluation, 46-
 48
 movement and quarantine,
 48-49
 diseases of wild germplasm,
 38-42
 efficiency, 53-56
 introduction, 35-36
 genetic base, need to
 broaden, 35-36
- uniformity of crops increas-
ing, 35
wild germplasm potential,
 36
resistance use, 49-53
resistance value, 56-57
wild germplasm, 36-
 38
Wildfire disease, 272
WINTER WHEAT model, 372-
 75
Wood and bark fungi
 see Mycelial individualism
Wood-decay fungi
 see Delignification by wood-
 decay fungi
Workshop on Modeling Pest-
Crop Interactions, 375
- X
- Xanthomonas*, 417
 campestris pv. *campestris*
 negative regulatory genes,
 257
 campestris pv. *citri*
 DNA analysis, 412-13
 taxonomy, 414-15
 see also Citrus canker in
 Florida
 campestris pv. *manihotis*, p.
 411
 citri f. sp. *aurantifolia*, 403
 citri pv. *aurantifolia*, 415
 citri pv. *biilvae*, 416
 citri pv. *citrumelo*, 415, 417
 Xiphinema index, 179
Xylan, 389
Xylanases, 389
Xylobolus frustulatum
 delignification, 385
- Y
- Yellow branch
 see Citrus greening disease
Yellow shoot
 see Citrus greening disease
Yellow traps
 psylla populations, 116, 123-
 24
Yield
 see Cereal crop growth mod-
 els; Fungicide resistance;
 Nematodes, plant resis-
 tance and tolerance; Re-
 sistance breeding in
 peanut
- Z
- Zinc-like deficiencies
 citrus greening, 111, 113